

Smart Hospitality Display HBU8000 Series

43 50 55 65 75

HIGHLIGHTS

- Quick access to leading streaming services
- Enhance content with 4K UHD Crystal Display for perfect picture quality
- Slim design that complements any interior while saving space
- Centralized management of hotel displays worldwide
- Optimize promotions and offers using personalized guest insights

Key features




Let your guests access their most loved content

Modern guests are seeking the same home amenities and comforts while choosing their next hotel. To deliver a personalized touch during guest trips, hotels are adapting new technologies to win new customers. Samsung, the industry-leading TV brand, delivers the comforts of home with the new HBU8000 series hospitality display. Featuring access to the most popular streaming services, including Netflix, in beautiful UHD quality, guests are treated to the same conveniences of their living room while traveling worldwide.



An instantly familiar UI for faster navigation

Upon turning on their room TV, guests are treated to a recognizable UI filled with the most popular entertainment applications such as Netflix and YouTube. Guests can sign-in to dive back into the latest show they're binging or find new suggestions through their apps.



Safe credentials management with LYNK Cloud

Guests credentials are safely saved for the duration of their trip, allowing them quick access anytime they're in their rooms. Upon checking out, credentials are wiped from the system using Samsung LYNK Cloud and the hotel's Property Management System, giving users added peace of mind.

Key features



Lifelike color, in its purest state with fine crystal

Elevate your hotel's entertainment experiences with Dynamic Crystal Color. With a billion shades of color, every subtlety can be seen from the comfort of the hotel room.



Sleek and slim, more than ever

Increase flexibility with ultra-slim design, enabling hotel operators to create optimized room layouts that increase quest comfort.

Hospitality Solution


LYNK Cloud



Streamlined property management

With online access that supports multiple users, Samsung LYNK Cloud is ideal for global hospitality operations with centralized management, giving users control of their hotel displays worldwide.

- * LYNK Cloud License must be purchased separately. * LYNK Cloud does not support management of properties within China.



Content creation and custom interactions

Curate your hotel's in-room experience with LYNK Cloud. Create and remotely deploy web-based content to each in-room TV for a tailored feel to your property. With interactive requests support, you can provide the easiest way for guests to make room service orders and book spa appointments.



Integrated device management

Quickly update in-room TVs from a centralized source with Samsung LYNK Cloud. Managers can modify channel maps and program guides and control basic functions, making it easier than ever to provide support and maintenance.

* Some features may not be compatible with hotel's current platforms.




Data-driven promotional planning

Samsung LYNK Cloud enables optimized promotional content delivery based on integrated quest data available through the hotel PMS, helping managers to uncover business insights.


Specifications

	Model	43"	50"	55"	65"	75"
	Product	HG43BU800NFXZA	HG50BU800NFXZA	HG55BU800NFXZA	HG65BU800NFXZA	HG75BU800NFXZA
Display	Resolution	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160
	Picture Engine PQI (Picture Quality Index)	Quantum Processor Lite 2200	Quantum Processor Lite 2200	Quantum Processor Lite 2200	Quantum Processor Lite 2200	Quantum Processor Lite 2200
	HDR (High Dynamic Range)	HDR	HDR	HDR	HDR	HDR
	HDR10+ HLG (Hybrid Log Gamma)	Support Yes	Support Yes	Support Yes	Support Yes	Support Yes
	Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast
Video	Color Micro Dimming	Dynamic Crystal Color UHD Dimming	Dynamic Crystal Color UHD Dimming	Dynamic Crystal Color UHD Dimming	Dynamic Crystal Color UHD Dimming	Dynamic Crystal Color UHD Dimming
	Contrast Enhancer	Yes	Yes	Yes	Yes	Yes
	Auto Motion Plus Clear Motion	Yes LED Clear Motion	Yes LED Clear Motion	Yes LED Clear Motion	Yes LED Clear Motion	Yes LED Clear Motion
	Noise Reduction	Yes	Yes	Yes	Yes	Yes
	Film Mode Viewing Angle (H/V)	Yes 178/178	Yes 178/178	Yes 178/178	Yes 178/178	Yes 178/178
	Filmmaker Mode	Yes	Yes	Yes	Yes	Yes
	Dolby Decoder Object Tracking Sound	MS12 2ch OTS Lite	MS12 2ch OTS Lite	MS12 2ch OTS Lite	MS12 2ch OTS Lite	MS12 2ch OTS Lite
Audio	Q-Symphony	Yes	Yes	Yes	Yes	Yes
Audio	Sound Output (RMS) Speaker Type	20W 2CH	20W 2CH	20W 2CH	20W 2CH	20W 2CH
	Bluetooth Audio	Yes	Yes	Yes	Yes	Yes
	Dual Audio support (Bluetooth) Smart TV Type	Yes Smart	Yes Smart	Yes Smart	Yes Smart	Yes Smart
Smart Service	Operating System	Tizen™	Tizen™	Tizen™	Tizen™	Tizen™
	TV Plus Web Browser	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Screw Size	M8	M8	M8	M8	M8
VESA Standard	Screw depth VESA Spec	11-13 200 x 200	11-13 200 x 200	11-13 200 x 200	11-13 400 x 300	11-13 400 x 400
	Mobile to TV - Mirroring, DLNA	Yes	Yes	Yes	Yes	Yes
	Tap View Multi View	Yes upto 2 videos	Yes upto 2 videos	Yes upto 2 videos	Yes upto 2 videos	Yes upto 2 videos
	Music Wall	Yes	Yes	Yes	Yes	Yes
	App Casting Wireless TV On - Samsung WOW	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
Smart Feature	Wired TV On - Samsung WOL	Yes	Yes	Yes	Yes	Yes
	WiFi Direct Sound Mirroring	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode
	Workspace Wireless Dex	Advanced Yes	Advanced Yes	Advanced Yes	Advanced Yes	Advanced Yes
	Web Service	Microsoft 365	Microsoft 365	Microsoft 365	Microsoft 365	Microsoft 365
Game Feature	Auto Game Mode (ALLM) Game Motion Plus	Yes	Yes	Yes	Yes	Yes Yes
daille reature						Yes
	The specifica	ation may var	v by region. F	Please double	check with	Yes Dutch, Korean
	THE SPECIFIC	the area review t	7 27 109 31.1			ion / Picture Off
	your local PM	ı team prior t	o implemento	ation.		Yes Yes
	Connectonate(IIDD)					Yes
Feature	ConnectShare™ (USB 2.0) EPG	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	IP Control	Yes	Yes	Yes	Yes	Yes
	OSD Language BT HID Support	Yes	Yes	English, Spanish, French Yes	Yes	Yes
	USB HID Support	Yes	Yes	Yes	Yes	Yes
	MBR Support IPv6 Support	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
System Hospitality Feature	Digital Broadcasting	ATSC/ClearQAM	ATSC/ClearQAM	ATSC/ClearQAM	ATSC/ClearQAM	ATSC/ClearQAM
	Analog Tuner Samsung LYNK Cloud	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Hospitality Home Menu	N/A	N/A	N/A	N/A	N/A
	Hospitality Home Menu 2.0 Bluetooth Music Player (Mobile → TV)	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A
	Hospitality Plug&Play(Easy Setup)	Yes	Yes	Yes	Yes	Yes
	Power On Mode	Yes	Yes	Yes	Yes	Yes
	Hotel Channel List Channel Menu Display	Yes Yes	Yes	Yes	Yes	Yes Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes	Yes	Yes	Yes	Yes
	My Channel Energy Saving Mode (BLU control)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	USB Cloning	Yes	Yes	Yes	Yes	Yes
	Alarm Samsung LYNK™ DRM RF	Yes Yes	Yes	Yes	Yes	Yes Yes
	Samsung LYNK™ DRM IP Security Mode	Yes	Yes	Yes	Yes	Yes
	Security Mode WiFi	Yes Yes (WiFi5)	Yes Yes (WiFi5)	Yes Yes (WiFi5)	Yes Yes (WiFi5)	Yes Yes (WiFi5)
		Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)
	Bluetooth	7			7	
Connectivity	Bluetooth HDMI USB	3 2	3 2	3 2	3 2	2
Connectivity	HDMI USB Ethernet (LAN)	3 2 1	3		3 2 1	2
Connectivity	HDMI USB Ethernet (LAN) Digital Audio Out (Optical)	2 1 1	3 2 1 1	3 2 1 1	3 2 1 1 1/1(Common Use for Terrestrial)/0	5 2 1 1 1/1(Common Use for Terrestrial)/0
Connectivity	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input/ Satellite Input) Design	2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim
	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite input) Design Bezel Type	2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less	3 2 1 1 1 1/I(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less	AirSlim 3 Bezel-less	AirSlim 3 Bezel-less
Connectivity	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite Input) Design Bezel Type Stim Type Front Color	2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK	3 2 1 1 1 1/1(Common Use for Terrestrial)/O AirSlim 3 Bezel-less Slim look BLACK	AirSlim 3 Bezel-less Slim look BLACK	AirSlim 3 Bezel-less Slim look BLACK
	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite input) Design Bezel Type Stim Type Front Color Stand Type	2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT	3 2 1 1 1 1/i(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT	3 2 1 1 1/I(Common Use for Terrestriall/O AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT	AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT	AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT
Design	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor	2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT UFT BLACK Yes	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT UFT BLACK Yes	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes	AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes	AirSlim 3 Bezel-less Slim look BLACK FLOATLIFT BLACK Yes
	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF in (Terrestrial / Cable input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving	2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes	3 2 1 1 1/I(Common Use for Terrestriall/O AirSilm 3 Bezel-less Silm look BLACK FLOATLIFT BLACK Yes Yes	AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes	AirSlim 3 Bezel-less Slim look BLACK FLOATJIFT BLACK Yes Yes
Design	HDMI USB Ethernet (LAN) Digital Audio Out (Optica) RF in (Terrestrial / Cable input / Satellite input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Off Power Supply (V)	2 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes Yes AC110-120V 50/60Hz	AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz	AirSlim 3 Bezel-less Slim look BLACK FLOATLIFT BLACK Yes Yes Yes AC110-120V 50/60Hz
Design	HDMI USB Ethernett (LAN) Digital Audio Out (Optical) RF in (Terrestrial / Cable input / Stellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Off Power Supply (V) Power Consumption (Max) (W)	2 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 120	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 130	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 150	AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Ves AC110-120V 50/60Hz 205	AirSilm 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 260
Design Eco	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable Input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Off Power Supply (V) Power Consumption (Max) (W) Power Consumption (Stand-by) (W) Power Consumption (Stand-by) (W) Power Consumption (Stand-by) (W)	2 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes Yes 120 0.5	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 130 0.5 63	3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes OC100-120V 50/60Hz 0.5 80	AirSilm 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 260 0.5
Design Eco Power	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Saving Power Consumption (Max) (W) Power Consumption (Max) (W) Power Consumption (Stand-by) (W) Power Consumption (Typical) Set Size without Stand (WsHxD)(mm)	2 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 120 0.5 55 965.5 x 559.9 x 25.7	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 130 0.5 63 1118.3 x 644.6 x 25.7	3 2 1 1 1 1.1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes Yes AC110-120V 50/60Hz 150 0.5 65 1232.1 x 708.8 x 25.7	AirSilm 3 Bezel-less Stim look BLACK FLOAT UFT BLACK Yes Yes Yes AC110-120V 50/60Hz 205 0.5 80 1450.9 x 831.9 x 25.7	AirSilm 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 260 0.5 105 1676.7 x 960.3 x 26.6
Design Eco	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable Input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Off Power Supply (V) Power Consumption (Max) (W) Power Consumption (Stand-by) (W) Power Consumption (Stand-by) (W) Power Consumption (Stand-by) (W)	2 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes Yes 120 0.5	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 130 0.5 63	3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes OC100-120V 50/60Hz 0.5 80	AirSilm 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 260 0.5
Design Eco Power Dimension	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Off Power Supply (V) Power Consumption (Max) (W) Power Consumption (Max) (W) Power Consumption (Stand-by) (W) Power Size with Nat Sand (WxHxD)(mm) Set Size with Stand (WxHxD)(mm) Set Size with Stand (WxHxD)(mm) Set Weight without Stand (kg)	2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT UFT BLACK Yes Yes Yes 20 0.5 5 5 965.5 x 559.0 x 205.6 1093 x 677 x 129 8.4	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOATLIFT BLACK Yes Yes Yes 130 0.5 63 1118.3 x 644.6 x 25.7 1118.3 x 633.6 x 228.8 1246 x 771 x 137	3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 205 0.5 80 1450.9 x 831.9 x 25.7 1450.9 x 859.6 x 281.8 1612 x 950 x 164 20.9	AirSilm 3 Bezel-less Slim look BLACK FLOATLIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 260 0.5 105 1676.7 x 960.3 x 26.6 16/6 7 x 1005.5 x 340.4 1834 x 1110 x 190 31.4
Design Eco Power	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite Input) Design Bezel Type Slim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Saving Auto Power Off Power Consumption (Max) (W) Power Consumption (Max) (W) Power Consumption (Max) (W) Power Consumption (Stand-by) (W) Power Consumption (Stand-by) (W) Power Consumption (Stand-by) (W) Power Supply (V) Set Size with Stand (WxHxD)(mm) Set Weight with Out Stand (kg) Set Weight with Stand (kg)	2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes 20 0.5 55 965.5 x 559.9 x 25.7 965.5 x 559.9 x 205.6 1093 x 677 x 129 8.4 8.7	3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AirSilm 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes O.5 AC110-120V 50/60Hz 205 0.5 80 1450.9 x 831.9 x 25.7 1450.9 x 839.6 x 281.8 1612 x 950 x 164 209 21.3	AirSilm 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes 105 105 1676.7 x 960.3 x 26.6 1676.7 x 1005.5 x 340.4 1834 x 1110 x 190 31.4 32
Design Eco Power Dimension	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Off Power Supply (V) Power Consumption (Max) (W) Power Consumption (Max) (W) Power Consumption (Stand-by) (W) Power Stand (WsH-D)(mm) Set Size without Stand (WsH-D)(mm) Set Size with Stand (WsH-D)(mm) Set Weight with Stand (kg) Set Weight with Stand (kg) Set Weight with Stand (kg) Remote Controller Model	2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezet-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Construction 120 0.5 55 965.5 x 599.9 x 25.7 965.5 x 599.0 x 205.6 1093 x 677 x 129 8.4 8.7 119 1192280E	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes 130 0.5 63 1118.3 x 644.6 x 25.7 1118.3 x 683.6 x 228.8 1246 x 771 x 137 11.5 11.8 16 TM2280E	3 2 1 1 1 1 1/1(Common Use for Terrestrial)/O AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes 150 0.5 65 1252.1x 708.8 x 25.7 1232.1x 747.8 x 228.8 1399 x 946 x 148 15.5 15.8 22 TM2280E	AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 205 0.5 80 1450.9 x 831.9 x 25.7 1450.9 x 839.9 x 281.8 1612 x 950 x 164 20.9 21.3 28.3 1M2280E	AirSilm 3 Bezel-less Slim look BLACK FLOATLIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 260 0.5 105 1676.7 x 960.3 x 26.6 16/6 7 x 1005.5 x 340.4 1834 x 1110.x 190 31.4 32 42.3 TM2280E
Design Eco Power Dimension	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF in (Terrestrial / Cable input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Off Power Saving Auto Power Off Power Supply (V) Power Consumption (Max) (W) Power Consumption (Stand-by) (W) Set Size with Stand (WathD)(mm) Set Size with Stand (WathD)(mm) Set Size with Stand (WathD)(mm) Set Weight without Stand (kg) Set Weight with Stand (kg) Remote Controller Model Samsung Smart Control (Included)	2 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes Yes Yes 5 96.5 x 559.9 x 25.7 96.5 x 5.99.0 x 205.6 10.93 x 677 x 129 8.4 8.7 11.9 TM2280E Yes	3 2 1 1 1/1(Common Use for Terrestrial)/0 AirSilm 3 Bezet-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 130 0.5 63 1118.3 x 644.6 x 25.7 1118.3 x 644.6 x 25.7 1118.3 x 683.6 x 228.8 1246 x 771 x 137 11.5 11.8 16 TM2280E Yes	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Beze-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 150 0.5 65 1232.1 x 708.8 x 5.7 1232.1 x 708.8 x 5.7 1232.1 x 708.8 x 5.5 15.8 2 TM2280E Yes	AirSilm 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Ves AC110-120V 50/60Hz 205 0.5 80 1450.9 x 831.9 x 25.7 1450.9 x 831.9 x 25.7 1450.9 x 831.8 1612 x 950 x 164 209 21.3 28.3 TM2280E Yes	AirSilm 3 Bezel-less Silm look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 260 0.5 1676.7.x > 60.3 x 26.6 1676.7.x > 1676.7 x 340.4 1834 x 1110 x 190 31.4 32 42.3 TM2280E Yes
Design Eco Power Dimension	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Saving Auto Power Saving Auto Power (Max) (W) Power Consumption (Max) (W) Power Consumption (Max) (W) Power Consumption (Mich Wich (W) Set Size with Out Stand (With Wich (Micm) Set Size with Stand (With Wich (Micm) Set Size with Stand (With Wich (Micm) Set Size with Stand (With Wich (Mich) Set Wiejht with Stand (kg) Set Weight with Stand (kg) Remote Controller Model Samsung Smart Control (Included) Slim Fit Wall-mount Support Optional Stand Support (Y20 Studio)	2 1 1 1/1(Common Use for Terrestrial)/0 AirSilm 3 Bezet-less Silm look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 120 0.5 55 96.5 x 59.9 x 25.7 96.5 5 x 59.9 x 205.6 1093 x 677 x 129 8.4 8.7 11.9 TM2280E Yes Yes N/A	3 2 1 1 1 1/1(Common Use for Terrestrial)/O AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 130 0.5 63 1118.3 x 644.6 x 25.7 118.3 x 648.6 x 228.8 124.6 x 77.8 x 228.8 125.6 x	3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AirSilm 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 205 0.5 80 1450.9 x 831.9 x 25.7 1450.9 x 869.6 x 281.8 1612 x 950 x 164 20.9 21.3 28.3 TM2280E Yes Yes Yes Yes	AirSilm 3 Bezel-less Silm look BLACK FLOAT LIFT BLACK Yes Yes Yes S 105 105 1676.7 x 960.3 x 26.6 1676.7 x 1005.5 x 340.4 1834 x 1110 x 190 31.4 32 42.3 TIM2280E Yes Yes N/A
Design Eco Power Dimension Weight	HDMI USB Ethernet (LAN) Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite Input) Design Bezel Type Stim Type Front Color Stand Type Stand Color Eco Sensor Auto Power Saving Auto Power Saving Auto Power Saving Auto Power Saving Stand Type Stand (Color Eco Sensor Stand Type Stand (Color Stand Stand (With Stand (Wi	2 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 120 0.5 55 965.5 x 559.9 x 25.7 965.5 x 559.9 x 205.6 1093 x 677 x 129 8.4 8.7 11.9 TM2280E Yes	3 2 1 1 1 1/1(Common Use for Terrestrial)/0 AirSlim 3 Bezel-less Stim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 130 0.5 63 1118.3 x 644.6 x 25.7 1118.3 x 633.6 x 228.8 1246 x 771 x 137 11.5 11.8 16 TM2280E Yes Yes	3 2 1 1 1 1/1(Common Use for Terrestrial)/O AirSlim 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 150 0.5 65 1232.1 x 7478 x 228.8 1399 x 846 x 148 15.5 15.8 22 TMZ80E Yes Yes	AirSilm 3 Bezel-less Stim look BLACK FLOAT UIFT BLACK Yes Yes Ves AC110-120V 50/60Hz 205 0.5 8.0 1450.9 x 831.9 x 25.7 1450.9 x 869.6 x 281.8 1612 x 950 x 164 20.9 21.3 28.3 TMZ280E Yes Yes	AirSilm 3 Bezel-less Slim look BLACK FLOAT LIFT BLACK Yes Yes Yes AC110-120V 50/60Hz 260 0.5 105 1676.7 x 960.3 x 26.6 1676.7 x 1005.5 x 340.4 1834 x 1110 x 190 31.4 32 42.3 TM2280E Yes Yes


Technical drawings









50"










55"








65"









SAMSUNG

Technical drawings





About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

Smart Signage

For more information about Samsung Hospitality Displays, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2022 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.

416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea