

ROLINE UNIVERSAL-CLEANING-TISSUES

Page: 1

Compilation date: 05.06.2014

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ROLINE UNIVERSAL-CLEANING-TISSUES

Product code: 19.03.3100

Synonyms: L0300000100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: KLEINMANN GmbH

- Am Trieb 13
- D 72820 Sonnenbühl Deutschland
- Deatooniana
- **Tel:** +49(0)7128-9292-0
- **Fax:** +49 (0)7128-929292
- Email: chemie@kleinmann.net

1.4. Emergency telephone number

Emergency tel: +49 (0)7128-929215

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substa	ance or mixture
Classification under CLP:	Flam. Liq. 3: H226; Eye Dam. 1: H318; STOT SE 3: H336; -: EUH208
Classification under CHIP:	-: R10; Xi: R41; -: R67
Most important adverse effects:	Contains geraniol. May produce an allergic reaction. Flammable liquid and vapour.
	Causes serious eye damage. May cause drowsiness or dizziness.
2.2. Label elements	
Label elements under CLP:	
Hazard statements:	EUH208: Contains geraniol. May produce an allergic reaction.
	H226: Flammable liquid and vapour.
	H318: Causes serious eye damage.
	H336: May cause drowsiness or dizziness.

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS05: Corrosion

GHS07: Exclamation mark

ROLINE UNIVERSAL-CLEANING-TISSUES



Precautionary statements:	P102: Keep out of reach of children.
	P103: Read label before use.
	P101: If medical advice is needed, have product container or label at hand.
	P210: Keep away from No smoking.
	P280: Wear.
	P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.
	Rinse skin with.
	P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310: Immediately call a POISON CENTER or doctor.
	P370+378: In case of fire: Use for extinction.
2 Other hezerde	

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-1-OL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-746-9	71-23-8	-	Flam. Liq. 2: H225; Eye Dam. 1: H318;	10-30%
			STOT SE 3: H336	

Section 4: First aid measures

4.1. Description of first aid measures	
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash
	immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.
Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

ROLINE UNIVERSAL-CLEANING-TISSUES

4.2. Most important symptoms and effects, both acute and delayed Skin contact: There may be mild irritation at the site of contact. Eye contact: There may be pain and redness. The eyes may water profusely. The vision may become blurred. Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. **Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Delayed / immediate effects: Immediate effects can be expected after short-term exposure. 4.3. Indication of any immediate medical attention and special treatment needed Immediate / special treatment: Not applicable. Section 5: Fire-fighting measures 5.1. Extinguishing media Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. 5.2. Special hazards arising from the substance or mixture Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. 5.3. Advice for fire-fighters Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Section 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. Turn leaking containers leak-side up to prevent the escape of liquid. 6.2. Environmental precautions Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. 6.3. Methods and material for containment and cleaning up Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks. 6.4. Reference to other sections Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

ROLINE UNIVERSAL-CLEANING-TISSUES

7.1. Precautions for safe handling Handling requirements: Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s) Specific end use(s): No data available. Section 8: Exposure controls/personal protection 8.1. Control parameters Hazardous ingredients: **PROPAN-1-OL** Workplace exposure limits: **Respirable dust** State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 500 mg/m3 625 mg/m3 -8.1. DNEL/PNEC Values DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition. **Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency. Hand protection: Nitrile gloves. Breakthrough time of the glove material > 4 hours. Eye protection: Safety glasses with side-shields. Ensure eye bath is to hand. Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Characteristic odour

Evaporation rate: No data available.

Oxidising: Not applicable.

Solubility in water: Not applicable.

ROLINE UNIVERSAL-CLEANING-TISSUES

Viscosity:	No data available.		
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	Not applicable.
Flash point°C:	33	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	0,96	pH:	8,0
VOC g/l:	238,798		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: No data available.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-1-OL

DERMAL	RBT	LD50	5040	mg/kg
ORAL	RAT	LD50	1870	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. The vision may become

blurred.

Page: 5

ROLINE UNIVERSAL-CLEANING-TISSUES

					Page:	6
Ingestion:	There may be soreness and	d redness of the mouth	and throat. Nausea ar	d stomach		
	pain may occur.					
Inhalation:	There may be irritation of th	e throat with a feeling o	f tightness in the ches	t.		
Delayed / immediate effects:	Immediate effects can be ex	xpected after short-term	exposure.			
Section 12: Ecological informa	tion					
12.1. Toxicity						
Hazardous ingredients:						
PROPAN-1-OL						
FISCH		96H LC50	4480	mg/l		
12.2. Persistence and degradal	bility					
Persistence and degradability:	No data available.					
12.3. Bioaccumulative potentia	I					
Bioaccumulative potential:	No data available.					
12.4. Mobility in soil						
-	No data available.					
12.5. Results of PBT and vPvB	assessment					
PBT identification:	This product is not identified	d as a PBT/vPvB substa	ince.			
12.6. Other adverse effects						
Other adverse effects:	Negligible ecotoxicity.					
Section 13: Disposal consideration	ations					
13.1. Waste treatment methods						
Disposal operations:	Transfer to a suitable conta	iner and arrange for col	lection by specialised	disposal		
	company.					
Recovery operations:						
	Dispose of as normal indus					
NB:	The user's attention is draw	-	nce of regional or nation	onal		
	regulations regarding dispo	sal.				
Section 14: Transport informat	ion					
14.1. UN number						
UN number:	UN1274					

14.2. UN proper shipping name

Shipping name: N-PROPANOL (PROPYL ALCOHOL, NORMAL)

ROLINE UNIVERSAL-CLEANING-TISSUES

	Page:
14.3. Transport hazard class(es	s)
Transport class:	3
14.4. Packing group	
Packing group:	III
14.5. Environmental hazards	
Environmentally hazardous:	No Marine pollutant: No
14.6. Special precautions for us	
	No special precautions.
Tunnel code:	
Transport category:	
Section 15: Regulatory information	ation
15.1. Safety, health and enviror	nmental regulations/legislation specific for the substance or mixture
15.2. Chemical Safety Assessm	nent
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture
	by the supplier.
Section 16: Other information	
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
Other information:	
Other information:	453/2010.
Other information:	453/2010. * indicates text in the SDS which has changed since the last revision.
	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No
	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.
	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008. EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008. EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name> H225: Highly flammable liquid and vapour.
	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008. EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name> H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour.
	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008. EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name> H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H318: Causes serious eye damage.
	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008. EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name> H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H318: Causes serious eye damage. H336: May cause drowsiness or dizziness.
	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008. EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name> H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H318: Causes serious eye damage. H336: May cause drowsiness or dizziness. R10: Flammable.
Phrases used in s.2 and 3:	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008. EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name> H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H318: Causes serious eye damage. H336: May cause drowsiness or dizziness. R10: Flammable. R41: Risk of serious damage to eyes.
Phrases used in s.2 and 3:	 453/2010. * indicates text in the SDS which has changed since the last revision. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008. EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name> H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H318: Causes serious eye damage. H336: May cause drowsiness or dizziness. R10: Flammable. R41: Risk of serious damage to eyes. R67: Vapours may cause drowsiness and dizziness.