



Datenblatt - Fiche technique - Data sheet

**21.13.1191**



ROLINE PoE Fast Ethernet Switch, 8 Port, (8x PoE), 19" Einbau

ROLINE Switch Fast Ethernet PoE, 130W, 8 ports

ROLINE PoE Fast Ethernet Switch, 130 W, 8 Ports

**Item No.: 21.13.1191**

## **ROLINE PoE Fast Ethernet Switch, 130W, 8-Port**

### **Features:**

- 8x Power over Ethernet Fast Ethernet ports
- All ports are 802.3af compliant
- Each port provides 48 V/DC with up to 15.4 W power
- Auto-MDI/MDI-X
- Auto-Negotiation
- Full wire speed forwarding
- MAC addresses: 4k
- Casing: Metal
- Internal power supply



### **Technical Specifications**

<b>Standards</b>	IEEE 802.3af IEEE 802.3 10BaseT IEEE 802.3u 100BaseTX IEEE 802.3x Flow Control
<b>Features</b>	Number of Ports: 8 PSE/Power over Ethernet Ports MAC Address: 4K Transmission Method: Store and Forward
<b>Filtering/Forwarding Rates</b>	100Mbps port - 148,800pps 10Mbps port - 14,880pps
<b>Transmission Media</b>	10BaseT Cat. 3, 4, 5 UTP/STP 100BaseTX Cat. 5 UTP/STP
<b>Led Indicators</b>	Per Port: Link/Act, PoE Act/Status Per Unit: Power
<b>Power Input</b>	100~240V/AC, 50~60Hz
<b>Power Output</b>	48V/DC Per Port Output – 15.4 W Max Per Port 8 Ports at Full 15.4 W Output Supported
<b>Power Consumption</b>	130 Watts (Max)
<b>Dimensions</b>	266 × 160 × 44 mm (L x W x H)
<b>Weight</b>	1.4 kg
<b>Operating Temperature</b>	0 to 40°C
<b>Storage Temperature</b>	-20 to 90°C
<b>Humidity</b>	10 to 90% RH (non-condensing)
<b>Certifications</b>	FCC Class A, CE

# Power over Ethernet (PoE)

